

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	5248	335/220-230.ccls. 251/129.15.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
2	IS&R	L2	1396	(335/177-179,234,266).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L3	2599	(nonmagnetic non-magnetic "non magnetic") and (plunger armature core) and (solenoid actuator) and magnet and spring	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
4	BRS	L4	222	(1 2). and 3	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	3111	coil and (plunger armature) and "permanent magnet" and solenoid	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L6	3294	(nonmagnetic non-magnetic "non magnetic") adj spacer	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
7	BRS	L7	46	L6 and L5 and spring	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
8	IS&R	L8	1396	(335/177-179,234,266).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	1919	repel same attract same magnet	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
10	BRS	L10	12	L8 and L9	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
11	BRS	L11	79	( "3022450"   "3103603"   "3184622"   "3241006"   "3250293"   "3368791"   "3381181"   "3683239"   "3740594"   "3814376"   "3900822"   "4127835"   "4243899"   "4253493"   "4306270"   "4442998"   "4443775"   "4463332"   "4633209"   "4635683"   "4679017"   "4758811"   "4767097"   "4947968"   "4954799"   "5010312"   "5044678"   "5064166"   "5066980"   "5076622"   "5110087"   "5218999"   "5240227"   "5301921"   "5407174"   "5417373"   "5453724"   "5516076"   "5563756") .PN. OR ( "4419643"   "4845392"   "5785298"   "5936500") .URPN.	US- PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
12	BRS	L12	474	((spring and bias and (armature plunger) and spacer) and (solenoid actuator)) and (coil wire) and magnet	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
13	BRS	L13	150989	(solenoid actuator).clm.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
14	BRS	L14	104806	(spring elastic bias).clm.	US- PGPUB
15	BRS	L15	18888	(magnet).clm.	US- PGPUB
16	BRS	L16	87869	(spacer washer rubber seal).clm.	US- PGPUB
17	BRS	L17	836	13 and 14 and 15	US- PGPUB
18	BRS	L19	181	17 and 16	US- PGPUB
19	BRS	L20	5807	(non\$1magnet\$2).clm.	US- PGPUB
20	BRS	L21	28	19 and 20	US- PGPUB
21	BRS	L24	499	13 and 20	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
22	BRS	L25	86548	(coil wire winding).clm.	US- PGPUB

	Type	L #	Hits	Search Text	DBs
23	BRS	L26	162	24 and 14	US- PGPUB
24	BRS	L27	279	24 and 25	US- PGPUB
25	BRS	L28	94	14 and 24 and 25	US- PGPUB